

## Laboratory Investigation Report

**Patient ID : 1121289096**



**Name : Mr SUMAN MISHRA**

**Sex /Age : Male / 46 Yrs**

**Ref. By : Self**

**Company : DG CDMO(NED)**

**Mobile No : 9650019841**

**Registered On : 05/11/2021 19:43:07**

**Received On : 05/11/2021 20:30:00**

**Reported On : 06/11/2021 12:20:31**

**Printed On : 06/11/2021 12:36:45**

**SRF ID : 0708101192958**

### Molecular Biology

Test Name	Value	Unit	Biological Ref Interval
<b>COVID-19 Virus QUALITATIVE PCR</b>			
GENE/N GENE(ABI KITS ONLY)/TRUNAT	Negative		
ORF1a/ORF1b/N/N2 GENE (OR SEEGENE CEPHEID)	Negative		
FINAL RESULT OF SARS-CoV2 (COVID19)FOR THIS SAMPLE	Negative		
Testing Kit Used	Genetix COVISure COVID-19 RT PCR Kit		
Sample Type	Nasopharyngeal / Oropharyngeal		

RESULT	REMARKS
Positive	RNA specific to SARS-CoV-2 Detected
Negative	RNA specific to SARS-CoV-2 NOT detected
Inconclusive	Inconclusive. This could be due to low viral load in the sample. in the sample. A repeat sample is recommended for confirmation.

#### Notes:

- Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
- Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
- Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
- Test conducted on Nasopharyngeal & Oropharyngeal Swabs

Dr. Praveen K Prabhakar  
MD, Microbiology  
Head Microbiology & Serology




Dr. Siddharth Manvati  
PHD, Biotechnology  
Director Molecular Diagnostics

Page No: 1 of 2

1800 120 38 38 38

+91 9625932005

www.jitmdiagnosics.com, www.jitmcovidtesting.com

jitmdiagnosics@gmail.com



G-16, F/F KH No. 1076/5/2/733, Dilshad Colony,  
Near: Old Seemapuri Gol Chakkar, Delhi-110095

## Laboratory Investigation Report

Patient ID : 1121289096



Name : Mr SUMAN MISHRA

Sex /Age : Male / 46 Yrs

Ref. By : Self

Company : DG CDMO(NED)

Mobile No : 9650019841

Registered On : 05/11/2021 19:43:07

Received On : 05/11/2021 20:30:00

Reported On : 06/11/2021 12:20:31

Printed On : 06/11/2021 12:36:45

SRF ID : 0708101192958

### Molecular Biology

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

#### Comments:

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

#### IMPORTANT INSTRUCTIONS

Test results released pertain to the specimen submitted. \*All test results are dependent on the quality of the sample received by the laboratory. \*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the referring Physician. \*Sample repeats are accepted on request of Referring Physician within 7 days post reporting. \*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. \*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. \*Test results may show interlaboratory variations. \*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). \*Test results are not valid for medico legal purposes. \* Contact customer care Tel No. **1800120383838** queries related to test results. (#) Sample drawn from outside source.

\*\*\* End of Report \*\*\*

Dr. Praveen K Prabhakar  
MD, Microbiology  
Head Microbiology & Serology



  
Dr. Siddharth Manvati  
PHD, Biotechnology  
Director Molecular Diagnostics

Page No: 2 of 2

1800 120 38 38 38

+91 9625932005

 www.jitmdiagnosics.com, www.jitmcovidtesting.com

 jitmdiagnosics@gmail.com



G-16, F/F KH No. 1076/5/2/733, Dilshad Colony,  
Near: Old Seemapuri Gol Chakkar, Delhi-110095