



ISO 9001:2008



Lab ID. : 0062202240023	Reg No. : 443073
Patient Name : Mrs. KIRTI THAKUR-146323	Reg. Date : 24/Feb/2022 04:51PM
Age/Sex : 50 YRS / Female	Sample Coll. Date : 24/Feb/2022 04:28PM
Referred By : Dr. Self	Sample Rec. Date : 24/Feb/2022 04:58PM
Ref. Source :	Report Date : 24/Feb/2022 07:59PM
Client Code/Name : GH011114 Genx Diagnostics	
SRFNo : 0708303829624	PassPort No :

Test Name	Result	Unit	Bio.Ref.Interval
-----------	--------	------	------------------

MOLECULAR BIOLOGY

SARS- CoV-2 (COVID 19) Detection by Real Time PCR

SARS- CoV-2 (COVID 19) Detection by Real Time PCR **NEGATIVE**

Genx Diagnostics ICMR registration no. GXDND

Methodology : Real Time PCR

Equipment Used: BIO RAD CFX OPUS 96

Sample Type: Nasopharyngeal / Oropharyngeal Swab

Result Interpretation:

Positive: Indicates the presence of SARS-CoV-2 (COVID 19) in the given specimen

Negative: Indicates the absence of SARS-CoV-2 (COVID 19) in the given specimen

A "Positive" result is indicative of infection with SARS-CoV-2 (COVID 19) but does not rule out bacterial infection or co-infection with other viruses. The agent positive may not be the definite cause of disease.

A "Negative" result does not rule out infection. A careful consideration to combination of epidemiological factors, clinical history, examination, other relevant investigation findings and treatment history should be done.

Test Limitations:

- A Positive result does not distinguish between a viable/ replicating organism and a non-viable organism.
- False Negative results may be seen in samples collected too early or too late in the clinical course of the illness. Kindly refer to the latest ICMR guidelines.
- Presence of PCR inhibitors in the sample may prevent DNA amplification. Paradoxical results may arise due selection of inappropriate specimens and contamination during specimen collection.



Dr. Arvind Khanijo
MD (PATH)

Dr. Surbhi
MBBS, MD MICROBIOLOGY

ITDOSE INFOSYSTEMS PVT. LTD.



ISO 9001:2008



Lab ID. : 0062202240023	Reg No. : 443073
Patient Name : Mrs. KIRTI THAKUR-146323	Reg. Date : 24/Feb/2022 04:51PM
Age/Sex : 50 YRS / Female	Sample Coll. Date : 24/Feb/2022 04:28PM
Referred By : Dr. Self	Sample Rec. Date : 24/Feb/2022 04:58PM
Ref. Source :	Report Date : 24/Feb/2022 07:59PM
Client Code/Name : GH011114 Genx Diagnostics	
SRFNo : 0708303829624	PassPort No :

Test Name	Result	Unit	Bio.Ref.Interval
-----------	--------	------	------------------

- Sensitivity of this test depends upon the quality of the sample submitted for testing and stage of the infection.

Note: This test performance is validated at Genx Diagnostics.

Comments:

Kindly consult referring Physician/ Authorized Govt. hospital for appropriate follow up. Details of all the positive patients will be communicated to Epidemiology Cell – BMC. Please ensure to notify the local / state/ federal authorities as per the existing rules/regulations.

Clinical Background:

COVID-19 is a new disease, caused by a novel (or new) coronavirus SARS-CoV-2. Reported illnesses have ranged from mild symptoms to severe illness and death for confirmed COVID-19 cases. Symptoms like Fever, Cough, and Shortness of breath may appear 2-14 days after exposure.

References:

1. Centers for disease control and prevention. Corona virus disease (COVID 2019). Available from <https://www.cdc.gov/coronavirus/2019-ncov/index.html>
2. World Health Organization. Coronavirus disease (COVID-19) technical guidance: Infection prevention and control / WASH. Available from <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/infection-prevention-and-control>.

GENX DIAGNOSTICS
2/6 SARVPRIYA VIHAR NEW DELHI - 110016 CONTACT. 00-1147529349,9810033770, 9810033177
E-mail. genxdiagnostics8@gmail.com, genxoffice2017@gmail.com

*** End Of Report ***



Dr. Arvind Khanijo
MD (PATH)

Dr. Surbhi
MBBS, MD MICROBIOLOGY